



DECORATIVE LIGHTING

CATEGORIES

PENDANT LIGHTING.....	1
WALL LIGHTING.....	11
FLOOR LIGHTING.....	18





22511-4+6

Pendant lamp

SIZE $\Phi + \Phi + H$ (IN)
16*1 24*1 *59

DIM
0-10V

MAIN COLOR
ROSE GOLD

MATERIAL
STAINLESS STEEL

AVAILABLE COLOR TEMPERATURE
3000K

LUMEN
4140

INPUT VOLTAGE
90-305V

WATT
46W

OUTPUT VOLTAGE
24V

HANGING WIRE
ADJUSTABLE

CERTIFICATES
cULus



22511-4+6+8

Pendant lamp

SIZE $\Phi + \Phi + \Phi + H$ (IN)
16*1 24*1 32*1 *59

DIM
0-10V

MAIN COLOR
ROSE GOLD

MATERIAL
STAINLESS STEEL

AVAILABLE COLOR TEMPERATURE
3000K

LUMEN
7650

INPUT VOLTAGE
90-305V

WATT
85W

OUTPUT VOLTAGE
24V

HANGING WIRE
ADJUSTABLE

CERTIFICATES
cULus



81525-18*1 26*1 33*1 *0.98

Pendant lamp

SIZE L + W + H (IN)

49.21*39*47.24

DIM

0-10V

MAIN COLOR

ROSE GOLD + BLACK

MATERIAL

STAINLESS STEEL

AVAILABLE COLOR TEMPERATURE

3000K

LUMEN

17550

INPUT VOLTAGE

90-305V

WATT

195W

OUTPUT VOLTAGE

24V

HANGING WIRE

ADJUSTABLE

CERTIFICATES

cULus



81525-1200*320

Pendant lamp

SIZE L + W + H (IN)

47.24*13*59

DIM

0-10V

MAIN COLOR

ROSE GOLD + BLACK

MATERIAL

STAINLESS STEEL

AVAILABLE COLOR TEMPERATURE

3000K

LUMEN

7200

INPUT VOLTAGE

90-305V

WATT

80W

OUTPUT VOLTAGE

24V

HANGING WIRE

ADJUSTABLE

CERTIFICATES

cULus



67588-800

Pendant lamp

SIZE $\Phi + H$ (IN)

31.50*47.24

DIM

0-10V

MAIN COLOR

ROSE GOLD

MATERIAL

STAINLESS STEEL

AVAILABLE COLOR TEMPERATURE

3000K

LUMEN

6300

INPUT VOLTAGE

90-305V

WATT

70W

OUTPUT VOLTAGE


24V

HANGING WIRE

ADJUSTABLE

CERTIFICATES

cULus



67588-1000

Pendant lamp

SIZE $\Phi + H$ (IN)

39.37*47.24

DIM

0-10V

MAIN COLOR

ROSE GOLD

MATERIAL

STAINLESS STEEL

AVAILABLE COLOR TEMPERATURE

3000K

LUMEN

7200

INPUT VOLTAGE

90-305V

WATT

80W

OUTPUT VOLTAGE

24V

HANGING WIRE

ADJUSTABLE

CERTIFICATES

cULus



11425-600

Pendant lamp

SIZE L + W + H (IN)
24*16*47.24

DIM
0-10V

MAIN COLOR
ROSE GOLD

MATERIAL
STAINLESS STEEL

AVAILABLE COLOR TEMPERATURE
3000K

LUMEN
5040


INPUT VOLTAGE
90-305V

WATT
56W

OUTPUT VOLTAGE
24V

HANGING WIRE
ADJUSTABLE

CERTIFICATES
cULus



11425-900

Pendant lamp

SIZE L + W + H (IN)
35.43*24*47.24

DIM
0-10V

MAIN COLOR
ROSE GOLD

MATERIAL
STAINLESS STEEL

AVAILABLE COLOR TEMPERATURE
3000K

LUMEN
10080


INPUT VOLTAGE
90-305V

WATT
112W

OUTPUT VOLTAGE
24V

HANGING WIRE
ADJUSTABLE

CERTIFICATES
cULus



11425-1200

Pendant lamp



66055-1

Pendant lamp

SIZE L + W + H (IN)
48.43*31.50*47.24

DIM
0-10V

MAIN COLOR
ROSE GOLD

MATERIAL
STAINLESS STEEL

AVAILABLE COLOR TEMPERATURE
3000K

LUMEN
16560

INPUT VOLTAGE
90-305V

WATT
184W

OUTPUT VOLTAGE
24V

HANGING WIRE
ADJUSTABLE

CERTIFICATES
cULus

SIZE Φ + W + H (IN)
10*5*59

DIM
0-10V

MAIN COLOR
ROSE GOLD

MATERIAL
STAINLESS STEEL

AVAILABLE COLOR TEMPERATURE
3000K

LUMEN
1620

INPUT VOLTAGE
100-277V

WATT
18W

OUTPUT VOLTAGE
24V


HANGING WIRE
ADJUSTABLE

CERTIFICATES
cULus




66055-3Y
Pendant lamp

SIZE $\Phi + H$ (IN) 12*59	DIM 0-10V
MAIN COLOR ROSE GOLD	MATERIAL STAINLESS STEEL
AVAILABLE COLOR TEMPERATURE 3000K	LUMEN 4860
INPUT VOLTAGE 90-305V	WATT 54W
OUTPUT VOLTAGE 24V	HANGING WIRE ADJUSTABLE
CERTIFICATES cULus	




66055-3+3
Pendant lamp

SIZE L + W + H (IN) 49.21*59	DIM 0-10V
MAIN COLOR ROSE GOLD	MATERIAL STAINLESS STEEL
AVAILABLE COLOR TEMPERATURE 3000K	LUMEN 8100
INPUT VOLTAGE 90-305V	WATT 90W
OUTPUT VOLTAGE 24V	HANGING WIRE ADJUSTABLE
CERTIFICATES cULus	




22921-900
Pendant lamp



22921-1200
Pendant lamp

SIZE L + W + H (IN)	DIM
36*12*59	0-10V
MAIN COLOR	MATERIAL
ROSE GOLD	STAINLESS STEEL
AVAILABLE COLOR TEMPERATURE	LUMEN
3000K	8190
INPUT VOLTAGE	WATT
90-305V	91W
OUTPUT VOLTAGE	HANGING WIRE
24V	ADJUSTABLE
CERTIFICATES	
cULus	

SIZE L + W + H (IN)	DIM
47.44*12*59	0-10V
MAIN COLOR	MATERIAL
ROSE GOLD	STAINLESS STEEL
AVAILABLE COLOR TEMPERATURE	LUMEN
3000K	9270
INPUT VOLTAGE	WATT
90-305V	103W
OUTPUT VOLTAGE	HANGING WIRE
24V	ADJUSTABLE
CERTIFICATES	
cULus	



1123-1200

Pendant lamp

SIZE L + W + H (IN)

47.24*6*59

DIM

0-10V

MAIN COLOR

ROSE GOLD+ BLACK

MATERIAL

STAINLESS STEEL

AVAILABLE COLOR TEMPERATURE

3000K

LUMEN

6120

INPUT VOLTAGE

110-120V

WATT

68W

OUTPUT VOLTAGE


24V

HANGING WIRE

ADJUSTABLE

CERTIFICATES

cULus



1123-1500

Pendant lamp

SIZE L + W + H (IN)

59*6*59

DIM

0-10V

MAIN COLOR

ROSE GOLD+ BLACK

MATERIAL

STAINLESS STEEL

AVAILABLE COLOR TEMPERATURE

3000K

LUMEN

7650

INPUT VOLTAGE

110-120V

WATT

85W

OUTPUT VOLTAGE

24V

HANGING WIRE

ADJUSTABLE


CERTIFICATES

cULus




22644-2
Pendant lamp

SIZE L + W + H (IN)	DIM
37.40*17.13*59	0-10V
MAIN COLOR	MATERIAL
ROSE GOLD	STAINLESS STEEL
AVAILABLE COLOR TEMPERATURE	LUMEN
3000K	5850
INPUT VOLTAGE	WATT
90-305V	65W
OUTPUT VOLTAGE	HANGING WIRE
24V	ADJUSTABLE
CERTIFICATES	
cULus	



22644-3
Pendant lamp

SIZE L + W + H (IN)	DIM
47.24*24*59	0-10V
MAIN COLOR	MATERIAL
ROSE GOLD	STAINLESS STEEL
AVAILABLE COLOR TEMPERATURE	LUMEN
3000K	9900
INPUT VOLTAGE	WATT
90-305V	110W
OUTPUT VOLTAGE	HANGING WIRE
24V	ADJUSTABLE
CERTIFICATES	
cULus	



63782-4+6
Pendant lamp

SIZE L + H (IN)
32*42.13

DIM
0-10V

MAIN COLOR
ROSE GOLD

MATERIAL
STAINLESS STEEL

AVAILABLE COLOR TEMPERATURE
3000K

LUMEN
8100

INPUT VOLTAGE
100-277V

WATT
90W

OUTPUT VOLTAGE
24V

HANGING WIRE
ADJUSTABLE

CERTIFICATES
cULus



63782-4+6+8
Pendant lamp

SIZE L + H (IN)
49*47

DIM
0-10V

MAIN COLOR
ROSE GOLD

MATERIAL
STAINLESS STEEL

AVAILABLE COLOR TEMPERATURE
3000K

LUMEN
10800

INPUT VOLTAGE
100-277V

WATT
120W

OUTPUT VOLTAGE
24V

HANGING WIRE
ADJUSTABLE

CERTIFICATES
cULus



1019-700
Wall lamp

SIZE L + W + H (IN)
3*4*28

MAIN COLOR
ROSE GOLD

AVAILABLE COLOR TEMPERATURE
3000K

INPUT VOLTAGE
110-120V

OUTPUT VOLTAGE
24V

DIM
0-10V

MATERIAL
STAINLESS STEEL

LUMEN
990

WATT
11W

CERTIFICATES
cULus



1019-900
Wall lamp

SIZE L + W + H (IN)
3*4*35.43

MAIN COLOR
ROSE GOLD

AVAILABLE COLOR TEMPERATURE
3000K

INPUT VOLTAGE
110-120V

OUTPUT VOLTAGE
24V

DIM
0-10V

MATERIAL
STAINLESS STEEL

LUMEN
1260

WATT
14W

CERTIFICATES
cULus



1019-1200

Wall lamp

SIZE L + W + H (IN)
3*4*39.37

MAIN COLOR
ROSE GOLD

AVAILABLE COLOR TEMPERATURE
3000K

INPUT VOLTAGE
110-120V

OUTPUT VOLTAGE
24V

DIM
0-10V

MATERIAL
STAINLESS STEEL

LUMEN
1620

WATT
18W

CERTIFICATES
cULus



88003-600

Wall lamp

SIZE L + W + H (IN)
5*2.16*24

MAIN COLOR
ROSE GOLD

AVAILABLE COLOR TEMPERATURE
3000K

INPUT VOLTAGE
100-277V

OUTPUT VOLTAGE
24V

DIM
0-10V

MATERIAL
STAINLESS STEEL

LUMEN
1260

WATT
14W

CERTIFICATES
cULus



88003-900

Wall lamp

SIZE L + W + H (IN)
5*2.16*35.43

MAIN COLOR
ROSE GOLD

AVAILABLE COLOR TEMPERATURE
3000K

INPUT VOLTAGE
100-277V

OUTPUT VOLTAGE
24V

DIM
0-10V

MATERIAL
STAINLESS STEEL

LUMEN
1800

WATT
20W

CERTIFICATES
cULus



88003-1200

Wall lamp

SIZE L + W + H (IN)
5*2.16*47.24

MAIN COLOR
ROSE GOLD

AVAILABLE COLOR TEMPERATURE
3000K

INPUT VOLTAGE
100-277V

OUTPUT VOLTAGE
24V

DIM
0-10V

MATERIAL
STAINLESS STEEL

LUMEN
2340

WATT
26W

CERTIFICATES
cULus



33052- 400

Wall lamp

SIZE L + W + H (IN)

3*2*16

DIM

0-10V

MAIN COLOR

BRUSHED ROSE GOLD

MATERIAL

STAINLESS STEEL

AVAILABLE COLOR TEMPERATURE

3000K

LUMEN

1080

INPUT VOLTAGE

100-277V

WATT

12W

OUTPUT VOLTAGE

24V

CERTIFICATES

cULus



33052- 500

Wall lamp

SIZE L + W + H (IN)

3*2*20

DIM

0-10V

MAIN COLOR

BRUSHED ROSE GOLD

MATERIAL

STAINLESS STEEL

AVAILABLE COLOR TEMPERATURE

3000K

LUMEN

1350

INPUT VOLTAGE

100-277V

WATT


15W

OUTPUT VOLTAGE

24V

CERTIFICATES

cULus



33052- 800

Wall lamp

SIZE L + W + H (IN)
3*2*32

MAIN COLOR
BRUSHED ROSE GOLD

AVAILABLE COLOR TEMPERATURE
3000K

INPUT VOLTAGE
100-277V

OUTPUT VOLTAGE
24V


DIM
0-10V

MATERIAL
STAINLESS STEEL

LUMEN
2160

WATT
24W

CERTIFICATES
cULus



33052- 1000

Wall lamp

SIZE L + W + H (IN)
3*2*39.37

MAIN COLOR
BRUSHED ROSE GOLD

AVAILABLE COLOR TEMPERATURE
3000K

INPUT VOLTAGE
100-277V

OUTPUT VOLTAGE
24V

DIM
0-10V

MATERIAL
STAINLESS STEEL

LUMEN
2700

WATT
30W

CERTIFICATES
cULus



3022-600
Wall lamp

SIZE L + W + H (IN) 2.36*3.15*24	DIM 0-10V
MAIN COLOR ROSE GOLD	MATERIAL STAINLESS STEEL
AVAILABLE COLOR TEMPERATURE 3000K	LUMEN 810
INPUT VOLTAGE 100-277V	WATT 9W
OUTPUT VOLTAGE 24V	CERTIFICATES cULus



3022-900
Pendant lamp

SIZE L + W + H (IN) 2.36*3.15*35.43	DIM 0-10V
MAIN COLOR ROSE GOLD	MATERIAL STAINLESS STEEL
AVAILABLE COLOR TEMPERATURE 3000K	LUMEN 1260
INPUT VOLTAGE 100-277V	WATT 14W
OUTPUT VOLTAGE 24V	CERTIFICATES cULus



3022-1200
Wall lamp

SIZE L + W + H (IN) 2.36*3.15*47.24	DIM 0-10V
MAIN COLOR ROSE GOLD	MATERIAL STAINLESS STEEL
AVAILABLE COLOR TEMPERATURE 3000K	LUMEN 1620
INPUT VOLTAGE 100-277V	WATT 18W
OUTPUT VOLTAGE 24V	CERTIFICATES cULus



5007-1600

Floor lamp

SIZE L + W + H (IN)

5*4*63

MAIN COLOR

ROSE GOLD

AVAILABLE COLOR TEMPERATURE

3000K

INPUT VOLTAGE

100-277V

OUTPUT VOLTAGE

24V

DIM

0-10V

MATERIAL

STAINLESS STEEL

LUMEN

2160

WATT

24W

CERTIFICATES

cULus



www.ledmode.com

Phone: +1 (909) 909-0110

Email: info@ledmode.com

7401 Lankershim Blvd, Unit 101,
North Hollywood, CA 91605

@UNI UNIVERSAL ELECTRICS INC